

# Aluminium Blocks - Ball Bearing



Single



Single with swivel



Single with snap shackle



Single with swivel and becket

Cat.no.	Sheave sizes	Max working load	Cat.no.	Sheave sizes	Max working load	Cat.no.	Sheave sizes	Max working load	Cat.no.	Sheave sizes	Max working load
701012	35 x 16 mm	500 kg	700303	45 x 16 mm	625 kg	700323	45 x 16 mm	625 kg	700304	45 x 16 mm	625 kg
			703032	57 x 16 mm	775 kg	703232	57 x 16 mm	775 kg	703042	57 x 16 mm	775 kg
			700403	65 x 16 mm	950 kg	700423	65 x 16 mm	950 kg	700404	65 x 16 mm	950 kg
						All blocks with swivel are available with snap shackle					

OH ball bearing blocks are produced with 3 rows of stainless steel ball bearings, which gives the sheave a smoother running and secures a longer lifetime. These blocks are only available in black anodised aluminium with white sheaves.




Spring base stand-up block



Spring base stand-up block with becket

Cat.no.	Sheave sizes	Max working load	Cat.no.	Sheave sizes	Max working load
703052	57 x 16 mm	775 kg	703062	57 x 16 mm	775 kg
700405	65 x 16 mm	950 kg	700406	65 x 16 mm	950 kg

## BALL BEARING SHEAVE CONSTRUCTION





## Aluminium Blocks - Ball Bearing



Double with swivel



Double with swivel and becket



Fiddle with swivel

Cat.no.	Sheave sizes	Max working load	Cat.no.	Sheave sizes	Max working load	Cat.no.	Sheave sizes	Max working load
700309	45 x 16 mm	625 kg	700310	45 x 16 mm	625 kg	700314	57/32 x 16 mm	625 kg
703092	57 x 16 mm	775 kg	703102	57 x 16 mm	775 kg			
700409	65 x 16 mm	950 kg	700410	65 x 16 mm	950 kg			



Fiddle with swivel



Fiddle with swivel and becket



Fiddle with swivel and becket

Cat.no.	Sheave sizes	Max working load	Cat.no.	Sheave sizes	Max working load	Cat.no.	Sheave sizes	Max working load
700414	45 x 16 mm	950 kg	700315	57/32 x 16 mm	625 kg	700415	45 x 16 mm	950 kg

# Aluminium Blocks - Ball Bearing



**Fiddle with swivel and cam cleat adjustable to 5 positions**



**Fiddle with swivel, becket and cam cleat**



**Triple with swivel**

Cat.no.	Sheave sizes	Max working load	Cat.no.	Sheave sizes	Max working load	Cat.no.	Sheave sizes	Max working load
700317	57/32 x 16 mm	625 kg	700417	45 x 16 mm	950 kg	700319	45 x 16 mm	625 kg
						703192	57 x 16 mm	775 kg
						700419	65 x 16 mm	950 kg



**Triple with swivel and becket**



**Triple with swivel, becket and cam cleat**



**Single with swivel and aluminium sheave for rope and wire**

Cat.no.	Sheave sizes	Max working load	Cat.no.	Sheave sizes	Max working load	Cat.no.	Sheave sizes	Max working load
700320	45 x 16 mm	625 kg	703212	57 x 16 mm	775 kg	700455	57 x 16 mm	775 kg
703202	57 x 16 mm	775 kg	700421	65 x 16 mm	950 kg	700456	65 x 16 mm	950 kg
700420	65 x 16 mm	950 kg						



## Big Boat Aluminium Blocks - Ball Bearing



Single with swivel



Single with snap shackle



Single with swivel and becket

Delrin sheaves Cat.no.	Ball bearing alu. sheaves Cat.no.	Sheave sizes	Max working load	Delrin sheaves Cat.no.	Ball bearing alu. sheaves Cat.no.	Sheave sizes	Max working load	Delrin sheaves Cat.no.	Ball bearing alu. sheaves Cat.no.	Sheave sizes	Max working load
00803	700703	85 x 25 mm	1800 kg	00823	700823	75 x 20 mm	1800 kg	00804	700704	85 x 25 mm	1800 kg
	700803	75 x 20 mm	1800 kg		700923	100 x 25 mm	2800 kg		700804	75 x 20 mm	1800 kg
	700903	100 x 25 mm	2800 kg		All blocks with swivel are available with snap shackle		700904		100 x 25 mm	2800 kg	



Double with swivel



Double with swivel and becket



Triple with swivel

Delrin sheaves Cat.no.	Ball bearing alu. sheaves Cat.no.	Sheave sizes	Max working load	Delrin sheaves Cat.no.	Ball bearing alu. sheaves Cat.no.	Sheave sizes	Max working load	Delrin sheaves Cat.no.	Ball bearing alu. sheaves Cat.no.	Sheave sizes	Max working load
00809	700809	75 x 20 mm	1800 kg	00810	700810	75 x 20 mm	1800 kg	00819	700819	75 x 20 mm	1800 kg
	700909	100 x 25 mm	2800 kg		700910	100 x 25 mm	2800 kg		700919	100 x 25 mm	2800 kg



# Big Boat Aluminium Blocks - Ball Bearing



Triple with swivel and becket



Double cheek block with fasteners



Cheek block with fasteners

Our big boat blocks with ball bearings and aluminium sheaves are produced with a minimum of 3 rows of delrin balls and are only available with black anodised aluminium sides. Blocks with plan bearing delrin sheaves are only available with sides in natural.

Delrin sheaves Cat.no.	Ball bearing alu. sheaves Cat.no.	Sheave sizes	Max working load	Delrin sheaves Cat.no.	Ball bearing alu. sheaves Cat.no.	Sheave sizes	Max working load	Delrin sheaves Cat.no.	Ball bearing alu. sheaves Cat.no.	Sheave sizes	Max working load
00820	700820	75 x 20 mm	1800 kg	00812	700812	75 x 20 mm	1800 kg	00811	700811	75 x 20 mm	1800 kg
	700920	100 x 25 mm	2800 kg		700912	100 x 25 mm	2800 kg		700911	100 x 25 mm	2800 kg



Fiddle with swivel



Fiddle with swivel and becket



Fiddle with swivel and cam cleat

Delrin sheaves Cat.no.	Ball bearing alu. sheaves Cat.no.	Sheave sizes	Max working load	Delrin sheaves Cat.no.	Ball bearing alu. sheaves Cat.no.	Sheave sizes	Max working load	Delrin sheaves Cat.no.	Ball bearing alu. sheaves Cat.no.	Sheave sizes	Max working load
00814	700814	40/75 x 20 mm	1800 kg	00815	700815	40/75 x 20 mm	1800 kg	00817	700817	40/75 x 20 mm	1800 kg